



Technical Data Sheet:

01.2024



| | |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Details: | GP-5111 |
| Product Name: | ANTISTATIC DEGREASER |
| Product Description: | <p>Germa-Tech Antistatic Degreaser is specially designed to remove grease, oil and other surface contaminants, reducing paint defects whilst effectively eliminating static electricity from the substrate.</p> <p>Static electricity charge commonly builds on surfaces during cleaning, in particular plastic. This charge will attract dust into the paint film during the painting processes – Antistatic Degreaser as a final cleaning process will remove this charge.</p> |

Usage:



On existing finishes, primer, body filler or direct to metal applications

1. Clean the substrates with water and degreaser to remove contaminants and then dry.
2. Degrease with a polywipe soaked with Antistatic Degreaser
3. Wipe dry with a clean polywipe – do not allow to air dry

Directions For Use:

Mixing Ratio:

Ready for use



Additional Information

| | |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notes: | Always wipe dry do not allow to air dry |
| Storage: | Store in a cool dry place. Always replace the lid securely after use. |
| Shelf Life: | <p>Shelf Life is up to 48 months if unopened and stored in a cool dry place (below 20°C). Shelf life is an optimal guide and the product is manufactured and tested to exceed shelf-life recommendations, avoid ambient temperatures above 20°C and exposure to direct sunlight which are amongst common factors that will diminish storage shelf life. Contact the distributor or manufacturer if requiring further advice.</p> <p>If stored correctly, it can be used for up to 12 months from opening the original seal</p> |

The information contained in this file is presented in good faith based on thorough laboratory and field testing but without warranty. As we have no control over the conditions under which these products are used, it is recommended that all products be tested by the end user to ensure the suitability of the product for the particular application and conditions.